







Table of Contents





03.2

GU-SECURY Automatic Door Lock & Lever Handle

GU-SECURY Automatic	
Automatic Door Lock	03.2. 5
Automatic Extension	03.2. 6
Solid Brass Handle & 45mm Plate Series	
Unassembled CAPRI Trim Kits	03.2. 7
Unassembled TORINO Trim Kits	03.2. 7
Unassembled VENICE Trim Kits	03.2. 8
CUID II II OOO DI C	
Solid Brass Handle & 30mm Plate Series	
Unassembled ALLEGRO Trim Kits	
Unassembled TORINO Trim Kits	
Unassembled VENICE Trim Kits	03.2. 10
Zamac Handle & 45mm Plate Series	
Unassembled CAPRI Trim Kits	03.2. 11
Unassembled CAPRI Trim Kits Unassembled TORINO Trim Kits	
Unassembled TORINO Trim Kits	03.2. 11
Unassembled TORINO Trim Kits Unassembled VENICE Trim Kits	03.2. 11
Unassembled TORINO Trim Kits	03.2. 11 03.2. 12
Unassembled TORINO Trim Kits Unassembled VENICE Trim Kits	03.2. 11 03.2. 12
Unassembled TORINO Trim Kits	03.2. 11 03.2. 12 03.2. 13
Unassembled TORINO Trim Kits Unassembled VENICE Trim Kits Zamac Handle & 30mm Plate Series Unassembled ALLEGRO Trim Kits	03.2. 11 03.2. 12 03.2. 13 03.2. 13
Unassembled TORINO Trim Kits Unassembled VENICE Trim Kits Zamac Handle & 30mm Plate Series Unassembled ALLEGRO Trim Kits Unassembled TORINO Trim Kits	03.2. 11 03.2. 12 03.2. 13 03.2. 13
Unassembled TORINO Trim Kits Unassembled VENICE Trim Kits Zamac Handle & 30mm Plate Series Unassembled ALLEGRO Trim Kits Unassembled TORINO Trim Kits	
Unassembled TORINO Trim Kits	

GU-SECURY Automatic Door Lock

with Latch, Deadbolt and 2 Automatic Latchbolts









GU-SECURY Automatic Door Lock for Lever Handle				
Description	Color	PU	Part Number	
Door lock for 6' 8" doors with 45mm backset	Stainless Steel	5	6-35856-01-R-8B	
Door lock for 8' doors with 45mm backset	Stainless Steel	5	6-35856-02-R-8B	
Door lock for 6' 8" doors with 50mm backset	Stainless Steel	5	6-36033-01-R-8B	
Door lock for 8' doors with 50mm backset	Stainless Steel	5	6-36033-02-R-8B	
Door lock for 6' 8" doors with 60mm backset	Stainless Steel	5	6-35565-01-R-8B	
Door lock for 8' doors with 60mm backset	Stainless Steel	5	6-35565-02-R-8B	
	* = Color	PU = Pa	ckaging Unit	

Simply Close the Door!

As soon as the door pulled shut, the Automatic latchbolts instantly throw 20mm and are secured to prevent them being forced back. By turning the key or the knob, it will engage the deadbolt and lock the top and bottom latchbolts to become a **3 deadbolts locking system**.

Additional information

- 3-point, one piece locking system for 6'8" and 8' doors
- Heavy duty mortise construction with reinforced lever return spring system
- Locking by US-cylinder with 90° turn of key or thumb-turn
- No lifting of handle to engage locking points
- Top and bottom Automatic latchbolts projection from 10 to 20mm:
 - provide security against forced entry
 - help prevent air infiltration from gasket
 - protect the door panel from warping
- 1" (25mm) throw on deadbolt with baby sitting function
- Non handed, latch easily reversible
- 8mm square spindle
- 92mm centres (spindle to cylinder)
- Handle height variable (36" recommended)
- 16mm stainless steel faceplate with radius ends for easy installation and cleaner look
- Same hardware groove detail throughout our entire door lock program (jig, router base and bits available)
- Extension with additional lock point is available for doors taller than 8' (6-33479-04-0-8B)
- To be used with lever handle set (US-cylinder above handle)



The lock with the click Automatic latchbolts projection from 10 to 20mm

Automatic Extension

with Additional Latchbolt









Extension with Additional Latchbolt			
Description	Color	PU	Part Number
525mm extension with rounded end	Stainless Steel	5	6-33479-04-0-8B
	* = Color	PU = Pa	ckaging Unit

Additional information

- Tapered latch always engaging in strike plate
- 16mm stainless steel faceplate with radius end for easy installation and cleaner look
- Additional locking point for doors taller than 8'
- To be used with GU-SECURY Automatic door Locks



The lock with the click Automatic latchbolts projection from 10 to 20mm

CAPRI – TORINO


Solid Brass Handle & 45mm Plate Series







- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits			
Description		PU	Part Number
Handle sets for active doors w (cylinder included)	vith US-cylinder	1	K-U6492-01-0-*
Handle sets for semi-active do (knob tail included)	oors	1	K-U6446-00-0-*
Handle sets for fixed doors		1	K-U6410-00-0-*
	* = Color	PU = Pa	ckaging Unit
01 = Satin Chrome, 03 = Polished & 05 = Oil Rubbed Bronze, 11 = Satin	n Nickel, 25 = Dark Br		= Pewter 28
(F-U6492-01-0-*	(*) (*) (*) (*) (*)) <u> </u>	K-U6410-00-0-*

VENICE

Solid Brass Handle & 45mm Plate Series







- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

VENICE Series – Unass	sembled Trim Kits		
Description		PU	Part Number
Handle sets for active doc (cylinder included)	ors with US-cylinder	1	K-U6692-01-0-*
Handle sets for semi-activ (knob tail included)	ve doors	1	K-U6646-00-0-*
Handle sets for fixed door	'S	1	K-U6610-00-0-*
	* = Color	PU = P	ackaging Unit
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark B			•
01 02 0	3 04 05	11	25 28
	^ ^	0.000	^ ^
		° –	
K-U6692-01-0-*	K-U6646-00-0-*		K-U6610-00-0-*


ALLEGRO – TORINO

Solid Brass Handle & 30mm Plate Series





- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder (cylinder included)	1	K-U3492-01-0-*	
Handle sets for semi-active doors (knob tail included)	1	K-U3446-00-0-*	
Handle sets for fixed doors	1	K-U3410-00-0-*	
* = Color	PU = Pa	ckaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter			
		100	
K-U3492-01-0-* K-U3446-00-0-*		K-U3410-00-0-*	

VENICE

Solid Brass Handle & 30mm Plate Series







- Solid brass trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks


VENICE Series – Unassembled Trim Kits				
Description		PU	Part Number	
Handle sets for active doors w (cylinder included)	ith US-cylinder	1	K-U3692-01-0-*	
Handle sets for semi-active do (knob tail included)	ors	1	K-U3646-00-0-*	
Handle sets for fixed doors		1	K-U3610-00-0-*	
	* = Color	PU = Pa	ckaging Unit	
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark B			•	
01 02 03	04 05	11	25 28	
K-U3692-01-0-*	K-U3646-00-0-*		K-U3610-00-0-*	

CAPRI – TORINO

Zamac Handle & 45mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

CAPRI Series – Unassembled Trim Kits			
Description		PU	Part Number
Handle sets for active doors (cylinder included)	s with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active (knob tail included)	doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors		1	K-U7210-Z0-0-*
	* = Color	PU = P	ackaging Unit
5 = Dark Bronze PC, 6 = Black PC	C, 7 = White PC		
	5 6 7		
		s 6	
K-U7292-Z1-0-*	K-U7246-Z0-0-*		K-U7210-Z0-0-*



TORINO Series – Unassembled Trim Kits			
Description	PU	Part Number	
Handle sets for active doors with US-cylinder (cylinder included)	1	K-U7492-Z1-0-*	
Handle sets for semi-active doors (knob tail included)	1	K-U7446-Z0-0-*	
Handle sets for fixed doors	1	K-U7410-Z0-0-*	
* = Color		ckaging Unit	
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter	
01 5 6 7	28		
K-U7492-Z1-0-* K-U7446-Z0-0-*) <u> </u>	K-U7410-Z0-0-*	

VENICE

Zamac Handle & 45mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Handle sets for active doors with US-cylinder (cylinder included) Handle sets for semi-active doors (knob tail included) K-U7692-Z1-0 K-U7646-Z0-0	VENICE Series – Unassembled Trim Kits			
(cylinder included) Handle sets for semi-active doors (knob tail included) Handle sets for fixed doors * = Color PU = Packaging Unit 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter 01 5 6 7 28	Description		PU	Part Number
(knob tail included) Handle sets for fixed doors * = Color PU = Packaging Unit 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter 01		h US-cylinder	1	K-U7692-Z1-0-*
* = Color PU = Packaging Unit 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter 01 5 6 7 28		rs	1	K-U7646-Z0-0-*
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter 01	Handle sets for fixed doors		1	K-U7610-Z0-0-*
		* = Color	PU = Pa	ckaging Unit
	01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7			PC, 28 = Pewter
	01 5	6 7	28	
K-U7692-Z1-0-* K-U7646-Z0-0-* K-U7610-Z0-0-*) U	K-U7610-Z0-0-*

ALLEGRO – TORINO


Zamac Handle & 30mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks





TORINO Series – Unassembled Trim Kits					
Description	PU	Part Number			
Handle sets for active doors with US-cylinder (cylinder included)	1	K-U5492-Z1-0-*			
Handle sets for semi-active doors (knob tail included)	1	K-U5446-Z0-0-*			
Handle sets for fixed doors	1	K-U5410-Z0-0-*			
* = Color	PU = Pa	ckaging Unit			
01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7	= White	PC, 28 = Pewter			
01 5 6 7	28				
K-U5492-Z1-O-* K-U5446-ZO-O-*		K-U5410-Z0-0-*			

VENICE


Zamac Handle & 30mm Plate Series







- Zamac trim kits
- US-cylinder with standard Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks



Strike Plates

for Door Lock








Top and Bottom Striker with Extended Lip							
Description		PU	Part Number				
Latchbolt strike plate for 45mm (1 3/4") thick doors		100	9-C4776-45-0-*				
Latchbolt strike plate for 57mm (2 1/4") thick doors		100	9-C4776-57-0-*				
	PU = Pa	ckaging Unit					
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter							
03 04 5	6 11	25	28				

Additional information

- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock





Middle Striker with Extended Lip						
Description			PU	Part Number		
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors			50	9-C4777-45-0)-*	
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors				9-C4777-57-0)-*	
* = Color				ckaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
03 04 5	6	11	25	28		


- Solid brass or stainless steel
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

for Door Lock









Bag of Strike Pla	ates						
Description					PU	Part Number	
Bag of strike plates for 45mm (1 3/4")		ors			10	K-C4774-45-0-*	
Bag of strike plates for 57mm (2 1/4")		ors			10	K-C4775-57-0-*	
* = Color					PU = Packaging Unit		
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze PC, 6 = Black PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter							
03	04	5	6	11	25	28	
	140						

- Solid brass or stainless steel
- Bag contains:
 - 1 middle striker with extended lip and clear protective film
 - 2 top and bottom strikers with extended lip and clear protective film
 - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks

for Door Lock







Torx 15 T-Key			
Description	Color	PU	Part Number
Torx key	Steel	1	H-00346-15-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

■ Used for connecting SH2 and Automatic extensions



4mm Allen T-Key			
Description	Color	PU	Part Number
Allen key	Steel	1	H-00345-04-0-0
	* = Color	PU = Pa	ackaging Unit

Additional information

 Used for reversing Automatic latchbolts on GU-SECURY Automatic lock and extension



Fastening Screws			
Description	Color	PU	Part Number
D1 screws	Stainless Steel	1000	9-C5362-32-0-8
	* = Color	PU = Pa	ckaging Unit

- Stainless steel lock fastening screws
- Type D1 with self-drilling spiral point and high duplex thread with "Quadrex" socket
- Sharp tip for quick drive

for Lever Handle



FERCO



Handle Set Color Chips									
Description						PU	Part	Numb	er
Color chips						1	K-C4	780-00	0-0-0
* = Color					PU = Packaging Unit				
01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter									
01 02	03	04	05	5	6	7	11	25	28
		100							



Handle Extenders							
Description					PU	Part Number	
Handle extenders				1	9-C0695-00-0-*		
* = Color				PU =	PU = Packaging Unit		
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 25 = Dark Bronze, 28 = Pewter							
	01	03	04	05	25	28	
			100				

Additional information

- Made of solid brass
- Use with our solid brass handle sets
- Extends 18mm




Fixing Plate for Dummy Trim Kits		
Description	PU	Part Number
Fixing plate used for fixed door handle	50	6-C0800-03-0-0
* = Color	PU = Pa	ckaging Unit

- Made of stainless steel
- Bag of two dummy plates and four #6 x 5/8" FH/PH screws

for Lever Handle







8mm Spindle			
Description		PU	Part Number
8 x 8 x 120mm spindle (1 spindle is supplied with door handle kit)	Zinc	10	9-C0970-20-0-1
8 x 8 x 130mm spindle	Zinc	10	9-C0970-30-0-1
	* = Color	PU = Pa	ackaging Unit



M5 Screws


Description	PU	Part Number
M5 x 55mm screws (2 screws are supplied with door handle kit)	1	9-U2500-55-0-*
M5 x 65mm screws (2 screws are supplied with door handle kit)	1	9-U2500-65-0-*
M5 x 70mm screws	1	9-U2500-70-0-*
M5 x 80mm screws	1	9-U2500-80-0-*
* = Color	PU = Pa	ackaging Unit

01 = Satin Chrome, 02 = Polished Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC,

11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter







Set Screw & Allen Key			
Description	Color	PU	Part Number
M5 set screw (2 screws are included with door handle kit)	Stainless Steel	1	9-U6008-05-0-1
Allen key 2.5 x 20 x 100mm (1 Allen key is supplied with door handle kit)	Black	1	9-C0955-10-0-0
	* = Color	PU = Pa	ckaging Unit





Knob Tail Replacement Ki	ts		
Description	Color	PU	Part Number
48mm knob tail with snap rings	Black	1	K-C0600-48-0-0
72mm recutable knob tail with snap rings	Black	1	K-C0600-72-0-0
	* = Color	PU = Pa	ackaging Unit


- Knob tail made of tempered steel
- Used for semi-active handle trim kits

for Lever Handle



FERCO





Snap Rings			
Description	Color	PU	Part Number
Snap ring	Black	1	9-C0645-02-0-6
Snap ring – low profile	Black	1	9-C0645-03-0-6
	* = Color	PU = Pa	ackaging Unit



Washers			
Description	Color	PU	Part Number
Nylatron washer 0.25mm x 16mm (inner dia.)	Clear	1	9-C0647-25-0-0
Nylatron washer 0.5mm x 16mm (inner dia.)	Clear	1	9-C0647-50-0-0
Nylatron washer 1.0mm x 16mm (inner dia.)	Clear	1	9-C0647-10-0-0
	* = Color	PU = Pa	ackaging Unit



"O" Ring			
Description	Color	PU	Part Number
"O" ring 1.5mm x 16mm (inner dia.)	Black	1	9-C0953-00-0-6
	* = Color	PU = Pa	ckaging Unit





Cylinders			
Description	Color	PU	Part Number
Cylinder with 52mm tail	Zinc Brass Dark Bronze PC	1 1 1	6-C0971-52-0-1 6-C0971-52-0-3 6-C0971-52-0-5
Cylinder with 64mm tail	Zinc Brass Dark Bronze PC	1 1 1	6-C0968-64-0-1 6-C0968-64-0-3 6-C0968-64-0-5
	* = Color	PU = Pa	ackaging Unit

70

Accessories

for Strike Plate









Dust Cup – With Ed	ge		
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-00-0-6 9-C4765-1C-0-6 9-C4765-5C-0-6
	* = Color	PU = P	ackaging Unit

Additional information

- Use for latch and 2 automatic latches (optional)
- Dimensions:Length: 62mmWidth: 19.5mmDepth: 25.8mm

Dust Cup – No Edge			
Description	Color	PU	Part Number
Plastic cup	Black	10 100 500	9-C4765-0A-0-6 9-C4765-1C-A-6 9-C4765-5C-A-6
	* = Color	PU = Pa	ckaging Unit

Additional information

■ Dimensions:

- Length: 62mm - Width: 19.5mm - Depth: 16mm

Description					PU	Part Number
#8 x 5/8" (16m	nm) screws				10	K-C4763-16-6-
		*	= Color	·	PU = Pa	ckaging Unit
03 = Polished Br	ass, 04 = Anti I, 25 = Dark B		•		PC, 6 =	Black PC,
II - Jatili Micke						

- Bag of 6 screws for strike plates
- #8 x 5/8" FH/PH screws

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ckaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).

Wood Mount Display

for Lever Handle







Descri	ption						PU	Part	Numb	er
Wood	mount o	display					1	6-C9	618-00	-0-0
				* =	Color		PU = P	ackagin	g Unit	
01 0	ı'. Cl	02	D. P. L.	1.61		D. P. L.	I D	04 4		
05 = Oi	tin Chror I Rubbed tin Nicke	Bronze,	, 5 = Dar	k Bronze	PC, 6	Black I	,			ass,

Additional information

■ To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles



Wood Mount Display for Lever Handles				
Description		PU	Part Number	
Wood mount display		1	6-C9613-00-0-0	
	* = Color	PU = Packaging Unit		

Additional information

■ To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles

Wood Mount Display

for Lever Handle and Door Lock







Wood Mount Display with Door Lock and Handle				
Description	PU	Part Number		
Wood mount display – 45mm (1 3/4") thick	1	K-C9615-00-0-*		
* = Color	PU = Packaging Unit			

- Wood mount complete with lever handle and SECURY Automatic sample gear
- To be used with 30 and 45mm estucheons and Capri, Torino, Allegro or Venice handles



Wood Mount Display without Door Lock or Handle		
Description	PU	Part Number
Wood mount display – 45mm (1 3/4") thick	1	6-C9612-01-0-0
* = Color	PU = Packaging Unit	



FERCO	

QUÉBEC / MARITIMES

Ferco Ferrures de Bâtiment Inc. 2000, Rue Berlier Laval, QC H7L 4S4 Canada

T 450 973-1437 1 800 355-8810 F 450 973-7661 ferco@ferco.ca

ONTARIO / WESTERN PROVINCES

Ferco Architectural Hardware Inc. T 905 282-9588 1 800 668-5310 F 905 282-9915

UNITED STATES

Ferco Architectural Hardware Inc. T 1 800 927-1097 F 1 888 454-0161

Edition 09.2014 | Printed in Canada

www.ferco.ca





