



SEEING THE BIG PICTURE

Decko consists of several collections of absolutely distinctive products, a department of made-to-measure doors, and an array of sensational accessories and options. Have a look!

CLASSIQUE S

COMBO PVC

COMBO ALU

LEGEND

GARDEN PVC

OPTION WOOD

MADE-TO-MEASURE



CLASSIQUE S

SEEING TO YOUR COMFORT

Decko's Classique S collection has been universally acclaimed for its quality. Simplicity, high performance and refined design have made it our most popular choice in PVC. Keys to its success are discretion, solidity and efficiency.



The Classique S line exemplifies Decko's high-performing white PVC patio-door products, setting the standard in their category.



OPTION
Standard grill



OPTION
Terrace




OPTION
Contour grill



OPTION
Multipoint handle



OPTION
Mortise handle



OPTION
Euro handles

50 Brass
60 Black Nickel
76 Satin Nickel

51 Bright Chrome
71 Dark Oil Rubbed Bronze

52 Brushed Chrome
73 Antique Brass

FEATURES

- Welded sash
- Mono-piece threshold for improved tightness
- Steel reinforcements
- Extruded aluminum screen
- 5 1/2" and 7 1/4" wood frame
- Interior and exterior contemporary handles
- Adjustable double-nylon rollers

OPTIONS

- Made-to-measure
- Terrace (Energy efficient glass only)
- Energy-efficient and/or tinted glass
- Integrated Georgian, rectangular or tubular grill
- Interior cladding
- Interior jamb extension
- Brick mould
- Fanlight (transom and/or sidelight)
- 2" sill extension
- Multipoint or mortise handle
- Key lock
- Foot lock
- Security bar

STANDARD SIZES

O=Fixe X=Open

WIDTH	2 LIGHTS			3 LIGHTS			4 LIGHTS	
	5'	6'	8'	7'	9'	12'	9'	12'
HEIGHT								
	58 5/8" 1489 mm	70 5/8" 1794 mm	94 5/8" 2403 mm	88 3/4" 2253 mm	106 3/4" 2710 mm	142 3/4" 3625 mm	115 1/8" 2923 mm	139 1/8" 3533 mm
79 1/2" * 2019 mm *			88 7/16" 2246 mm	106 7/16" 2703 mm	142 7/16" 3618 mm	115" 2920 mm	139" 3530 mm	
81" 2058 mm								
			85 1/4" 2164 mm	103 3/16" 2621 mm	139 3/16" 3535 mm			

*Energy efficient glass

PERFORMANCES

STANDARD	AIR INFILTRATION	WATER INFILTRATION	WIND LOAD	OPERATION	FORCED ENTRY
CAN/CGSB-82.1-M89	A3	B3	C3	E3	F2
AAMA/WDMA/CSA 101/1.S.2/A440	R-PG30-SD	R-PG40-SD			

WARRANTIES

20 years on white vinyl components
15 years on anti-fog sealed units and interior thermal breakage
5 years on hardware and screens

For warranty details, please visit portedesdecko.com.



COMBO PVC

SEEING IN COLOURS

A Decko exclusive, Combo PVC doors highlight the near-infinite possibilities when pigments are directly imbedded into PVC. White on the inside and coloured on the outside, Combo PVC makes possible an ideal combination of exterior and interior residential colour schemes. Unique to Decko, coloured PVC combines esthetics with durability for a positively outstanding final product.



Combo PVC showcases Decko's expert use of a material unique to the industry. Coloured PVC offers a finish far superior to white PVC that's been painted—most especially for its scratch resistance.




OPTION Standard grill
OPTION Terrace
OPTION Contour grill



OPTION Multipoint handle



STANDARD Mortise handle



50 51 52 60 71 73 76

OPTION Euro handles

- 50 Brass
- 60 Black Nickel
- 76 Satin Nickel
- 51 Bright Chrome
- 71 Dark Oil Rubbed Bronze
- 52 Brushed Chrome
- 73 Antique Brass

FEATURES

- Welded sash - White PVC interior
- 7 1/4" wood frame
- Color-imbedded exterior PVC frame and sash
- 2.5 cm deep interlocking system
- Steel reinforcements
- Sill & sill-covers made of anodized aluminum
- Extruded aluminum screen
- Mortise handle

OPTIONS

- Made-to-measure
- Choice of colors
- Patio (energy-efficient glass only)
- Energy-efficient and/or tinted glass and/or triple glass
- Integrated Georgian, rectangular or tubular grills
- Interior cladding
- Interior jamb extension
- Brick mould
- Fanlight (transom and/or sidelight)
- 2" sill-extension
- Multipoint handle
- Key lock
- Foot lock
- Security bar

STANDARD SIZES

O=Fixe X=Open

WIDTH	2 LIGHTS			3 LIGHTS			4 LIGHTS	
	5'	6'	8'	7'	9'	12'	9'	12'
HEIGHT	58 5/8" 1489 mm	70 5/8" 1794 mm	94 5/8" 2403 mm	88 3/4" 2253 mm	106 3/4" 2710 mm	142 3/4" 3625 mm	115 1/8" 2923 mm	139 1/8" 3533 mm
79 1/2" * 2019 mm *			88 7/16" 2246 mm	106 7/16" 2703 mm	142 7/16" 3618 mm	115" 2920 mm	139" 3530 mm	
81" 2058 mm			85 1/4" 2164 mm	103 3/16" 2621 mm	139 3/16" 3535 mm			

*Energy efficient glass

PERFORMANCES

STANDARD	AIR INFILTRATION	WATER INFILTRATION	WIND LOAD	OPERATION	FORCED ENTRY
CAN/CGSB-82.1-M89	A3	B3	C3	E3	F2

WARRANTIES
20 years on white-vinyl components
15 years on anti-fog sealed units and interior thermal breakage
5 years on hardware and screen.
For warranty details, please visit portesdecko.com.



COMBO ALU

SEEING AND BEING SEEN

The ultimate in chic door systems, the soft lines and sophisticated design make Combo Alu something truly special to behold. Combining PVC and aluminum endows it with superior strength and a near-infinite variety of colours.



The pride of the Decko line, Combo Alu has gained ongoing popularity over the years. PVC doors with aluminum exterior dressing take best advantage of the unique qualities of both materials.



- 50 Brass
- 51 Bright Chrome
- 52 Brushed Chrome
- 60 Black Nickel
- 71 Dark Oil Rubbed Bronze
- 73 Antique Brass
- 76 Satin Nickel

FEATURES

- Welded sash – white PVC interior
- 7 1/4" wood frame
- 2.5 cm deep interlocking system
- Steel reinforcements
- Sill & sill-cover of anodized ALUMINUM
- Extruded aluminum screen
- Mortice handle

OPTIONS

- Made-to-measure
- Choice of colors (paint)
- Terrace (energy-efficient glass only)
- Energy-efficient and/or tinted glass and/or triple glass
- Integrated Georgian, rectangular or tubular grill
- Interior cladding
- Interior jamb extension
- Brick mould
- Fanlight (transom and/or sidelight)
- 2" sill extension
- Multipoint handle
- Key lock
- Foot lock
- Security bar

STANDARD COLORS

White, Pebble, Sablon, Commercial Brown, Clay, Clear Anodized and Black.

STANDARD SIZES

O=Fixe X=Open

WIDTH	2 LIGHTS			3 LIGHTS			4 LIGHTS																																																					
	5'	6'	8'	7'	9'	12'	9'	12'																																																				
HEIGHT	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 58 5/8" 1489 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 70 5/8" 1794 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 94 5/8" 2403 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 88 3/4" 2253 mm	O	X	O	X	O	X	<table border="1" style="width: 100%;"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 106 3/4" 2710 mm	O	X	O	X	O	X	<table border="1" style="width: 100%;"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 142 3/4" 3625 mm	O	X	O	X	O	X	<table border="1" style="width: 100%;"> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> </table> 115 1/8" 2923 mm	O	X	X	O	X	O	O	X	<table border="1" style="width: 100%;"> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> </table> 139 1/8" 3533 mm	O	X	X	O	X	O	O	X
	X	O	X																																																									
	O	X	O																																																									
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	X	O																																																									
X	O	O	X																																																									
O	X	X	O																																																									
X	O	O	X																																																									
79 1/2" * 2019 mm *			<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 88 7/16" 2246 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 106 7/16" 2703 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 142 7/16" 3618 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> </table> 115" 2920 mm	X	O	O	X	O	X	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> </table> 139" 3530 mm	X	O	O	X	O	X	X	O																			
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	O	X																																																									
O	X	X	O																																																									
X	O	O	X																																																									
O	X	X	O																																																									
81" 2058 mm			<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 85 1/4" 2164 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 103 3/16" 2621 mm	X	O	X	O	X	O	<table border="1" style="width: 100%;"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 139 3/16" 3535 mm	X	O	X	O	X	O																																					
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										

*Energy efficient glass


PERFORMANCES

STANDARD	AIR INFILTRATION	WATER INFILTRATION	WIND LOAD	OPERATION	FORCED ENTRY
CAN/CGSB-82.1-M89	A3	B3	C3	E3	F2

WARRANTIES

20 years on white-vinyl components
 10 years against uneven discoloration on aluminium color profiles
 15 years on anti-fog sealed units and interior thermal breaks
 5 years on hardware and screens

For warranty details, please visit portedesdeco.com.



LEGEND

SEEING IN THE LONG TERM

This model of door lives up to its name perfectly. Elegant and inviting, Legend doors embody a welcoming spirit—as all doors should. Lines are simple, inducing a sense of tranquility.



All Legend PVC patio doors represent a trustworthy and economic choice, with the added value of Decko's reputation for quality products. Our basic model has proven its worth from all points of view.



OPTION
Standard grill



OPTION
Terrace



OPTION
Contour grill



OPTION
Multipoint handle



OPTION
Mortise handle



OPTION
Euro handles

- 50 Brass
- 51 Bright Chrome
- 52 Brushed Chrome
- 60 Black Nickel
- 71 Dark Oil Rubbed Bronze
- 73 Antique Brass
- 76 Satin Nickel

FEATURES

- Mono-piece threshold for improved tightness
- Steel reinforcements
- Extruded aluminum screen
- 5 1/2" and 7 1/4" wood frame
- Contemporary handle
- Adjustable double-nylon rollers

OPTIONS

- Made-to-measure
- Terrace (energy-efficient glass only)
- Energy-efficient and/or tinted glass
- Integrated Georgian, rectangular or tubular grill
- Interior cladding
- Interior jamb extension
- Brick mould
- Fanlight (transom and/or sidelight)
- 2" sill extension
- Multipoint or mortice handle
- Key lock
- Foot lock
- Security bar

STANDARD SIZES

O=Fixe X=Open


WIDTH	2 LIGHTS			3 LIGHTS			4 LIGHTS																																																					
	5'	6'	8'	7'	9'	12'	9'	12'																																																				
HEIGHT	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 58 5/8" 1489 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 70 5/8" 1794 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 94 5/8" 2403 mm	X	O	X	O	X	O	<table border="1"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 88 3/4" 2253 mm	O	X	O	X	O	X	<table border="1"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 106 3/4" 2710 mm	O	X	O	X	O	X	<table border="1"> <tr><td>O</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>X</td></tr> </table> 142 3/4" 3625 mm	O	X	O	X	O	X	<table border="1"> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> </table> 115 1/8" 2923 mm	O	X	X	O	X	O	O	X	<table border="1"> <tr><td>O</td><td>X</td><td>X</td><td>O</td></tr> <tr><td>X</td><td>O</td><td>O</td><td>X</td></tr> </table> 139 1/8" 3533 mm	O	X	X	O	X	O	O	X
	X	O	X																																																									
	O	X	O																																																									
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	X	O																																																									
X	O	O	X																																																									
O	X	X	O																																																									
X	O	O	X																																																									
<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 88 7/16" 2246 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 106 7/16" 2703 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 142 7/16" 3618 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 115" 2920 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 139" 3530 mm	X	O	X	O	X	O																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 85 1/4" 2164 mm	X	O	X	O	X	O			<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 103 3/16" 2621 mm	X	O	X	O	X	O	<table border="1"> <tr><td>X</td><td>O</td><td>X</td></tr> <tr><td>O</td><td>X</td><td>O</td></tr> </table> 139 3/16" 3535 mm	X	O	X	O	X	O																																						
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										
X	O	X																																																										
O	X	O																																																										

*Energy efficient glass

PERFORMANCES

STANDARD	AIR INFILTRATION	WATER INFILTRATION	WIND LOAD	OPERATION	FORCED ENTRY
CAN/CGSB-82.1-M89	A3	B3	C3	E3	F2
AAMA/WDMA/CSA 101/LS.2/A440	R-PG35-SD				

WARRANTIES
 20 years on white-vinyl components
 15 years on anti-fog sealed units and interior thermal breakage
 5 years on hardware and screen
 For warranty details, please visit portesdecko.com.



GARDEN PVC

SEEING THE BEAUTY

This inspired line of door designs exudes a distinctively "zen" sensation. Solid frames with fluid lines together create a perfect sense of balance. You're sure to see what's outside with a refreshingly new outlook.



Chic and refined, PVC Garden doors create the impression of prestige and solidity—an ideal choice for those who favour an understated, yet sophisticated, style of door.





OPTION
Terrace avec panneau uni



OPTION
Multipoint handle



STANDARD
Mortaise handle



OPTION
Euro handles

50 Brass
60 Black Nickel
76 Satin Nickel

51 Bright Chrome
71 Dark Oil Rubbed Bronze

52 Brushed Chrome
73 Antique Brass





















FEATURES

- Welded sash - white PVC
- 7 1/4" wood frame
- Steel reinforcements
- Sill & sill cover made of anodized aluminum
- Extruded aluminum screen
- Mortice handle
- Adjustable double-nylon rollers

OPTIONS

- Made-to-measure
- Terrace (energy-efficient glass only)
- Energy-efficient and/or tinted glass
- Integrated Georgian, rectangular or tubular grill
- Interior cladding
- Interior jamb extension
- Brick mould
- Fanlight (transom and/or sidelight)
- 2" sill extension
- Multipoint handle
- Key lock
- Foot lock
- Security bar

STANDARD SIZES O=Fixe X=Open

WIDTH	2 LIGHTS			3 LIGHTS			4 LIGHTS	
	5'	6'	8'	7'	9'	12'	9'	12'
HEIGHT	 58 5/8" 1489 mm	 70 5/8" 1794 mm	 94 5/8" 2403 mm	 88 3/4" 2253 mm	 106 3/4" 2710 mm	 142 3/4" 3625 mm	 115 1/8" 2923 mm	 139 1/8" 3533 mm
	 79 1/2" * 2019 mm *	 88 7/16" 2246 mm	 88 7/16" 2246 mm	 88 7/16" 2246 mm	 106 7/16" 2703 mm	 142 7/16" 3618 mm	 115" 2920 mm	 139" 3530 mm
	 81" 2058 mm				 85 1/4" 2164 mm	 103 3/16" 2621 mm	 139 3/16" 3535 mm	

*Energy efficient glass

PERFORMANCES

STANDARD	AIR INFILTRATION	WATER INFILTRATION	WIND LOAD	OPERATION	FORCED ENTRY
CAN/CGSB-82.1-M89	A3	B3	C3	E3	F2
AAMA/WDMA/CSA 101/LS.2/A440	R-PG40-SD				

WARRANTIES
 20 years on white-vinyl components
 15 years on anti-fog sealed units and interior thermal breakage
 5 years on hardware and screen.
 For warranty details, please visit portesdecko.com.



OPTION WOOD

SEEING IS BELIEVING

Doors more real than nature itself!
Over the years Decko's exclusive finishing procedures have allowed us to imitate a variety of woods almost perfectly. Unlike anything you've ever seen, Option Wood breathes fresh life into



Thanks to our highly evolved expertise in water-based paints applied to PVC, Decko has mastered the application of a variety of finishes that mimic many types of wood grain—perfect for buildings situated in more rustic locations.

ATTRIBUTES AND ADVANTAGES

An array of finishes that replicate natural wood grains that can be adapted to any style of home.

Offered in many formats, including non-standard dimensions.

Create an impression of warmth.

May be dressed in different colors to complement both interior and exterior designs.

Easy-to-maintain and cleanable with simple soap and water.

Weather resistant, colors cannot fade, even under UV rays.

Produced using a water-based painting process that cause negligible environmental impact.

An inexpensive solution that results in a convincing feel of natural wood.

Option Wood is available only for the Combo PVC (interior and exterior surfaces) and Combo Alu (Interior surfaces only) models.

Cannot be applied to Terrace option.

STANDARD FINISHES

Dark Oak, Brazilian Cherry, Red Cedar & Maple.



MADE-TO-MEASURE DOORS

SEEING IN A THOUSAND DIMENSIONS

If you dream of splendour, light and colour, Decko's made-to-measure doors will be just right for you. Our custom-made doors department maintains the highest standards, adapting each Decko collection to any configuration imaginable. Your doors will become the signature of your finest projects. Just make your choice!



Beyond the classic image of patio doors, Decko helps you see far beyond by offering an unparalleled variety of dimensions, configurations and colors.

Our made-to-measure doors department puts its expertise and technical capabilities entirely to the service of Decko clients, whether their project is just slightly beyond the conventional or downright daring. Fixed or mobile parts, unconventional fanlights, colored and customized finishes are all possible. Let your imagination soar—with Decko!

ENERGY EFFICIENCY

Decko patio doors are constructed according to the high energy-efficiency standards and technical specs of ENERGY STAR* norms.

* Energy Star certification applies only when using certain types of glass.



COME SEE US!

deckodoors.com

2375 RUE ÉDOUARD-MICHELIN
TERREBONNE, QUÉBEC J6Y 4P2
T 450 477 0199 866 477 0199
F 450 477 0026 866 477 0026